

Polynomial Functions using Transistor Noise Parameters in a Noise-wave Model

Vladica Dorevic¹, Zlatica Marinkovic², Olivera Pronic-Ranic² and Vera Markovic²

¹Innovation Center of Advanced Technologies
Bulevar Nikole Tesle 61, lokal 5, 18000 Niš, Serbia,
vladica.djordjevic@icnt.rs

²University of Niš, Aleksandra Medvedeva 14
18000 Niš, Serbia
{zlatica.marinkovic@elfak.ni.ac.rs} {olivera.pronic@elfak.ni.ac.rs} {vera.markovic@elfak.ni.ac.rs}



ABSTRACT: *The similarity between the noise wave parameters and the noise parameters is studied using a noise wave model. The optimization procedures in circuit simulators is extracted using the device intrinsic circuit and available measured transistor noise parameters are related to the whole device. We have introduced an incremental extraction system using polynomial functions which is found to be more faster and effective. In the experimentation process, the descriptive validation of the proposed procedure is carried out by comparing the transistor noise parameters of the entire circuit, obtained by using the noise wave parameters extracted by the proposed approach. For this process we have used the transistor noise parameters that studied the measures.*

Keywords: HEMT, Noise Parameters, Noise Wave Model, Noise Wave Parameters, Polynomials

Received: 11 June 2021, Revised 5 August 2021, Accepted 14 August 2021

DOI: 10.6025/jes/2021/11/4/113-119

Copyright: with Authors

1. Introduction

The need for precise noise modeling of microwave transistors (MESFETs/HEMTs) that are used in modern microwave communication systems, has led to development of different transistor noise models [1-10]. These models enable implementation of transistors within microwave circuit simulators, which results in the efficient noise analysis. The main classification of transistor noise models is into physical and empirical noise models. Most microwave circuit designers use the empirical noise models since the parameters related to device physical characteristics are often unavailable. The parameters of the empirical noise models are usually extracted from the measured transistor noise parameters (F_{min} – minimum noise figure, Γ_{opt} – optimum source reflection coefficient and r_n – normalized noise resistance).

In recent years, the noise wave model treating the noise in terms of waves has appeared as a very appropriate noise model at the

microwave frequencies [2], [7-9], [11-19]. The wave representation of noise provides a suitable alternative to the most commonly used representations of noise generated in two-port network based on the equivalent voltage and/or current sources [6]. The noise wave parameters are the noise wave temperatures and it is shown that these temperatures are frequency dependent [14]. The extraction of the frequency dependent noise wave temperatures is usually done using the optimization procedures in circuit simulators. However, the fact that the optimization procedures are time-consuming makes them relatively inefficient extraction tool.

In this paper, a new, faster and more efficient extraction procedure based on using polynomial functions is proposed. In addition to saving time, the proposed extraction procedure also enables a very accurate transistor noise modeling using the noise wave model.

The paper is organized as follows: after Introduction, section 2 contains a short description of the noise wave model. Polynomial-based extraction procedure is presented in Section 3. Section 4 contains the most illustrative numerical results and obtained observations. Concluding remarks are given in Section 5.

2. Noise Wave Model of Microwave FETS

Noise in linear two-port networks can be characterized in many different ways. In the noise wave representation, a noisy two-port network is described by using a noiseless linear equivalent circuit and the waves that emanate from its ports [2].

It is very convenient to use the noise wave temperatures as empirical model parameters, as in that way the noise performance of any two-port network can be completely characterized by the two real temperatures, T_a and T_b , and the complex correlation temperature, $T_c = |T_c|e^{j\omega\tau_c}$. These temperatures can be expressed in terms of the noise parameters of transistor intrinsic circuit - minimum noise figure, F_{mini} , optimum source reflection coefficient, and noise resistance, R_{ni} , as [2]:

$$T_a = T_0(F_{mini} - 1) + \frac{4R_{ni}T_0|\Gamma_{opti}|^2}{Z_0|1 + \Gamma_{opti}|^2}, \quad (1)$$

$$T_b = \frac{4R_{ni}T_0}{Z_0|1 + \Gamma_{opti}|^2} - T_0(F_{mini} - 1), \quad (2)$$

$$T_c = \frac{4R_{ni}T_0\Gamma_{opti}}{Z_0|1 + \Gamma_{opti}|^2}, \quad (3)$$

where Z_0 - the normalization impedance (50Ω) and T_0 - the standard reference temperature (290K).

3. Proposed Polynomial-based Extraction Procedure

As already mentioned, the optimization procedures in circuit simulators that are usually used for extraction of the noise wave temperatures are time-consuming. Instead, the extraction of the noise wave temperatures can be done by using efficient polynomial-based procedure illustrated in Figure 1, which is detailed as follows:

1. Design the small-signal equivalent circuit schematic of the considered transistor within the standard circuit simulator and implement the noise wave model expressions,
2. Generate n random samples of the noise parameters of transistor intrinsic circuit (F_{mini} , R_{ni} , $|\Gamma_{opti}|$, and φ_{opti}),
3. For each of n samples of the noise parameters generated in a previous step, calculate the noise wave temperatures (T_a , T_b , $|T_c|$),




Figure 1. Proposed polynomial-based extraction procedure flowchart

and τ_c) using Eqs. (1-3),

4. Assign the calculated noise wave temperatures to the noise wave model implemented within the standard circuit simulator in step 1,
5. Simulate the noise parameters of entire transistor (F_{min} , R_n , $|\Gamma_{opt}|$, and ϕ_{opt}) at the considered frequency range, ambient temperature and operating conditions,
6. Apply the Eqs. (1-3) to the noise parameters of entire circuit obtained by simulations, and calculate the fictive noise wave temperatures (T_{af} , T_{bf} , $|T_{cf}|$, and τ_{cf}) referring to the whole circuit,
7. Express the correlations between the noise wave temperatures and the fictive noise wave temperatures for the considered frequency range by using first degree ($m = 1$) polynomials,
8. Based on the measured noise parameters of the considered transistor, calculate the fictive noise wave temperatures (T_{af} , T_{bf} , $|T_{cf}|$, and τ_{cf}) using Eqs. (1-3),
9. Use the calculated fictive noise wave temperatures and obtained correlations expressed by polynomials to determine the noise wave temperatures (T_a , T_b , $|T_c|$, and τ_c),
10. In order to validate the proposed extraction procedure, assign the extracted noise wave temperatures to the noise wave model implemented within the standard circuit simulator in step 1,
11. Simulate the noise parameters of entire transistor (F_{min} , R_n , $|\Gamma_{opt}|$, and ϕ_{opt}) at the same frequency range, ambient temperature and operating conditions as in step 5,
12. Compare the obtained noise parameters with the measured ones,
13. If the obtained results do not have satisfactory accuracy, increase a polynomial degree (m) by 1, and repeat steps from 7-12. Otherwise, use the noise wave temperatures extracted in step 9.

4. Numerical Results

The proposed polynomial-based extraction procedure was applied to a packaged HEMT, type NE20283A by NEC, and some of




Figure 2. Equivalent circuit of HEMT in packaged form

As can be seen in Fig. 2, there are 19 equivalent circuit elements (*ECPs*). The values of small-signal *ECPs* of the considered transistor were taken from [21].

First, the values of the noise parameters of transistor intrinsic circuit were generated randomly. Then, the noise wave temperatures determined from these random generated intrinsic noise parameters were used to obtain the fictive noise wave temperatures within ADS [20] circuit simulator. In this case, for the considered frequency range, the correlations between the noise wave temperatures and the fictive noise wave temperatures were expressed with high accuracy by the first degree polynomials:

$$T_a[\text{K}] = x_a + y_a T_{af}[\text{K}] + z_a f[\text{GHz}], \quad (4)$$

$$T_b[\text{K}] = x_b + y_b T_{bf}[\text{K}] + z_b f[\text{GHz}], \quad (5)$$

$$|T_c|[\text{K}] = x_c + y_c |T_{cf}|[\text{K}] + z_c f[\text{GHz}], \quad (6)$$

$$\tau_c[\text{ps}] = x_d + y_d \tau_{cf}[\text{ps}] + z_d f[\text{GHz}], \quad (7)$$

where x_{a-d} , y_{a-d} and z_{a-d} are the polynomial coefficients given in Table I for different ambient temperatures, and f is the frequency. The frequency is included in Eqs. (4-7) because the noise parameters of transistor extrinsic circuit are frequency dependent. Also, all the units of variables in Eqs. (4-7) were marked within square brackets.

		233 K	253 K	273 K	293K	313 K	333 K
T_a	x_a	-82.09	-99.12	-109.3	-82.07	-48.95	-54.6
	y_a	1.507	1.584	1.567	1.257	0.97	0.976
	z_a	4.92	4.973	4.836	5.9	7.662	8.364
T_b	x_b	-98.4	-77.26	-149.1	-164.2	-100.1	-110.7
	y_b	1.54	1.218	1.702	1.72	1.233	1.244
	z_b	7.226	8.385	9.251	9.852	10.48	11.63
$ T_c $	x_c	-70.38	-67.85	-107.3	-171.4	-102	-105.1
	y_c	1.178	1.055	1.248	1.618	1.136	1.096
	z_c	8.696	9.901	11.7	13.62	13.47	14.85
τ_c	x_d	25.3	24.23	23.49	23.37	24.24	24.75
	y_d	-0.098	-0.065	-0.046	-0.044	-0.046	-0.058
	z_d	-0.332	-0.345	-0.348	-0.346	-0.372	-0.372

Table 1. Polynomial Coefficients for Different Ambient Temperatures


The polynomial coefficients from Table 1 and the fictive noise wave temperatures calculated from the measured transistor noise parameters were used for determination of the noise wave temperatures. In order to validate the proposed polynomial-based extraction procedure, the determined noise wave temperatures were assigned to the noise wave model implemented within ADS [20], and the noise parameters of entire transistor circuit were simulated. The simulated noise parameters were then compared with the corresponding measured data.

As an illustration, Figure 3 presents the simulated F_{min} , r_n , and Γ_{opt} and the corresponding measured data. The results shown in Figure 3 were obtained for the ambient temperature of 313 K in the frequency range from 6 to 18 GHz. It can be seen that the simulated values of noise parameters are very close to the measured ones, confirming the accuracy of the proposed extraction procedure. The results for the other available temperatures show the same level of the noise modeling accuracy.


5. Conclusion

Because the noise wave temperatures are frequency dependent, the optimization procedures in circuit simulators usually used for their extraction become time-consuming. For this reason, a new efficient extraction procedure was proposed in this paper. The presented procedure is based on the polynomial correlations between the noise wave temperatures and the fictive noise wave temperatures of entire transistor.

The proposed procedure was applied to a specific HEMT device in a packaged form. Extraction of the noise wave temperatures was carried out based on the polynomial expressed correlations between them and the fictive noise wave temperatures calculated from the available measured transistor noise parameters. Based on the obtained noise wave temperatures, the corresponding noise parameters of entire transistor circuit were calculated in the circuit simulator. A good agreement between simulated and measured transistor noise parameters in a wide range of ambient temperatures proves validity of the proposed procedure.



(a)



(b)

Figure 3. Measured (symbols) and simulated (lines) values of: (a) F_{min} , r_n (b) Γ_{opt} , depending on the frequency at 313K

Acknowledgement

The work was supported by the TR-32052 project of the Serbian Ministry of Education, Science and Technological Development. The authors would like to thank prof. Alina Caddemi, University of Messina, Italy, for providing the measured data.

References

- [1] Pucel, R. A., Haus, H. A., Statz, H. (1975). Signal and Noise Properties of Gallium Arsenide Microwave Field-Effect Transistors, *Advances in Electronics and Electron Physics*, vol. 38, 195-265.
- [2] Meys, R. P. (1978). A Wave Approach to the Noise Properties of Linear Microwave Devices, *IEEE Trans Microw Theory Tech*, 26 (1) 34-37.
- [3] Fukui, H. (1979). Design of Microwave GaAs MESFET's for Broad-Band Low-Noise Amplifiers, *IEEE Trans Microw Theory Tech*, 27 (7) 643-650.
- [4] Cappy, A., Vanoverschelde, A., Schortgen, A., Versnaeyen, C., Salmer, G. (1985). Noise Modeling in Submicrometer-Gate Two-Dimensional Electron-Gas Field-Effect Transistors, *IEEE Trans Electron Dev*, 32 (12) 2787-2795.
- [5] Gupta, M. S., Pitzalis, O., Rosenbaum, S. E., Greiling, P. T. (1987). Microwave Noise Characterization of GaAs MESFETs: Evaluation by On-Wafer Low-Frequency Output Noise Current Measurement, *IEEE Trans. Microwave Theory Tech*, 35 (12) 1208-1218.
- [6] Pospieszalski, M. W. (1989). Modeling of Noise Parameters of MESFET's and MODFET's and Their Frequency and Temperature Dependence, *IEEE Trans Microw Theory Tech*, 37 (9) 1340-1350.
- [7] Wedge, S. W., Rutledge, D. B. (1992). Wave Techniques for Noise Modeling and Measurement, *IEEE Trans Microw Theory Tech*, 40 (11) 2004-2012.
- [8] Proni, O., Markovi, V., Maleš-Ili, N. (2001). The Wave Approach to Noise Modeling of Microwave Transistors by Including the Correlation Effect, *Microw Opt Technol Lett*, 28 (6) 426-430.
- [9] Proni, O., Markovi, V. (2002). A Wave Approach to Signal and Noise Modeling of Dual-Gate MESFET, *AEU-Int J Electron C*, 56 (1) 61-64.
- [10] Crupi, G., Caddemi, A., Raffo, A., Salvo, G., Nalli, A., Vannini, G. (2015). GaN HEMT Noise Modeling Based on 50-ohm Noise Factor, *Microw Opt Technol Lett*, 57 (4) 937-942.
- [11] Hecken, R. P. (1981). Analysis of Linear Noisy Two-Ports Using Scattering Waves, *IEEE Trans Microw Theory Tech*, 29 (10) 997-1004.
- [12] Dobrowolski, J. A. (1996). *Computer-Aided Analysis, Modeling and Design of Microwave Networks-The Wave Approach*, Norwood, Artech House.
- [13] Proni, O., Markovi, V., Maleš-Ili, N. (1999). MESFET Noise Modeling Based on Noise Wave Temperatures, *TELSIKS'99, Conference Proceedings*, 407-410, Niš, Yugoslavia.
- [14] Proni-Rani, O., Markovi, V. (2001). Microwave Transistors Noise Modeling by Using Variable Noise Wave Temperatures, *TELSIKS'01, Conference Proceedings*, 313-316, Niš, Yugoslavia, 2001.
- [15] Markovi, V., Proni-Rani, O., Marinkovi, Z. (2004). Noise Wave Modeling of Microwave Transistors Based on Neural Networks, *Microw Opt Technol Lett*, 41 (4) 294-297.
- [16] Pasquet, D., Bourdel, E., Quintanel, S., Ravalet, T., Houssin, P. (2008). New Method for Noise-Parameter Measurement of a Mismatched Linear Two-Port Using Noise Power Wave Formalism, *IEEE Trans Microw Theory Techn*, 56 (9) 2136-2142.
- [17] Colliander, A., Narhi, T., de Maagt, P. (2010). Modeling and Analysis of Polarimetric Synthetic Aperture Interferometric Radiometers Using Noise Waves, *IEEE Trans Geosci Remote Sens*, 48 (9) 3560-3570.
- [18] Dobrowolski, J. A. (2015). Noise Characterization of Differential Multi-Element Multiport Networks - the Wave Approach, *Int J Electron Telecommun*, 61 (4) 395-401.
- [19] Orevi, V., Marinkovi, Z., Crupi, G., Proni-Rani, O., Markovi, V., Caddemi, A. (2015). Wave Approach for Noise Modeling of Gallium Nitride High Electron-Mobility Transistors, *Int J Numer Model Electron Network Dev Field*, 2015, DOI: [10.1002/jnm.2138](https://doi.org/10.1002/jnm.2138).
- [20] Advanced Design System, Agilent Eesof EDA, 2009.
- [21] Caddemi, A., Di Paola, A., Sannino, M. (1996). Microwave Noise Parameters of HEMTs vs. Temperature by a Simplified Measurement Procedure, *EDMO'96, Conference Proceedings*, 153-157, Leeds, UK.