

Signal Processing with Wavelets Using Fourier Analysis

Mariana Todorova¹, Reneta Ivanova²
Technical University of Varna, 1 Studentska Str
Varna 9005, Bulgaria
{mgtodorova@tu-varna.bg} {renetaivanova1@gmail.com}



ABSTRACT: For organizing and processing signals, the Fourier analysis is used that provide elementary waves as a powerful device. We in this work investigated data with the ability to compress and permit the testing. We then compressed, filtered and processed the necessary information. We have used signal processing with many wavelets and finally we have compared the experimental results and made a comparative analysis.

Keywords: Signal Analysis, Wavelets, Wavelet Toolbox, Wavelet Transformation

Received: 19 November 2021, Revised 4 March 2022, Accepted 9 March 2022

DOI: 10.6025/jes/2022/12/2/29-39

Copyright: with Authors

1. Introduction

In the recent years a special kind of signals called elementary waves (wavelet functions) is actively used in modern theory and practice. The wavelets are particularly effective in performing spectrum analysis and signal compression. They are one of the newest tools for decomposition of functions or continuous time signals in frequency components and the study of each frequency component with a resolution corresponding to its scale. Basically they are considered as an alternative to the Fourier transform. The wavelet transformation is one of the most popular of the time-frequency-transformations.

Wavelet analysis has begun to play a serious role in a broad range of applications, including data and image compression, signal processing, solution of partial differential equations, statistics, etc.

Wavelet analysis [1], [2], [3], [4], [6] has significant advantages that stem from the very properties of wavelet functions. The wavelet transformation allows the components of a non-stationary signal to be analyzed. The wavelets also allow filters to be constructed for stationary and non-stationary signals.

In the present paper signal analysis using wavelets is made. Haar, Daubechies (db2, db4, db7), Coiflets (coif3, coif4), Symlets (sym4, sym5, sym7) and discrete Meyer (dmey) wavelets are applied. The values of the retained energy of the considered signal are compared and appropriate conclusions are made.

2. Wavelets and Wavelet Transformation

Wavelets are a class of a functions used to localize a given function in both space and scaling. A family of wavelets can be constructed from a function $\psi(t) \in L_2(R)$. It denote the vector space of measurable functions that are absolutely and square integrable:

$$\int_{-\infty}^{\infty} |\psi(t)| dt < \infty \quad (1)$$

$$\int_{-\infty}^{\infty} |\psi(t)|^2 dt < \infty \quad (2)$$

Sometimes $\psi(t)$ is known as a “mother wavelet” which is confined in a finite interval. “Daughter wavelets” $\psi_{a,b}(t)$ are then formed by translation b and contraction a .

$$\psi_{a,b}(t) = \frac{1}{\sqrt{a}} \psi\left(\frac{t-b}{a}\right), a, b \in R, a \neq 0 \quad (3)$$

where a is positive and defines the scale and b is any real number and defines the shift. The pair (a, b) defines a point in the right half plane $R_+ \times R$.

There are a variety of wavelets. In this paper some of the most popular wavelets are used.

The Haar wavelet is the simplest possible wavelet. The mother wavelet function can be described as

$$\psi(t) = \begin{cases} 1, & 0 \leq t < 1/2 \\ -1, & 1/2 \leq t < 1 \\ 0, & \text{otherwise} \end{cases} \quad (4)$$

Its scaling function $\phi(t)$ is given in Eq.5.

$$\phi(t) = \begin{cases} 0, & 0 \leq t < 1 \\ 1, & \text{otherwise} \end{cases} \quad (5)$$

The dbN wavelets are the Daubechies’ extremal phase wavelets (N refers to the number of vanishing moments).

The symlet wavelets (symN wavelets) are also known as Daubechies’ least-asymmetric wavelets. The symlets are more symmetric than the extremal phase wavelets. In *symN*, N is the number of vanishing moments.

Coiflet scaling functions also exhibit vanishing moments. In *coifN*, N is the number of vanishing moments for both the wavelet and scaling functions.

The Meyer wavelet (*dmey*) is an orthogonal wavelet.

The wavelet transformation is often compared with the Fourier transformation, in which signals are represented as a sum of sinusoids. The main difference is that wavelets are localized in both time and frequency whereas the standard Fourier transformation is only localized in frequency.

Wavelet transforms are classified into discrete and continuous wavelet transforms.

A continuous wavelet transform (CWT) is used to divide a continuous-time function into wavelets.

The CWT of a function $f(t) \in L_2(R)$ is defined as

$$CWT_f(a, b) = \int_{-\infty}^{\infty} \psi_{a,b}(t) \cdot f(t) \cdot dt \quad (6)$$

3. Signal Compression using Wavelets

In this section compression of a signal representing the sum of two sinusoids (Figure 1) is made. Haar, Daubechies, Coiflets, Symlets and discrete Meyer wavelets are applied. Graphical user interface in Matlab is used for this purpose. It provides point-and-click control of software applications, eliminating the need to learn a language or type commands in order to run the application. The obtained results by using Haar wavelets are given on Figs. 1-3.




Figure 1. Decomposition of the signal (Haar wavelets)




Figure 2. Best Tree (Haar wavelets)

The original signal and compressed signal using Daubechies wavelets db2, bd4 and db7 are given on Figs.4, 5 and 6




Figure 3. Original and compressed signals using Haar wavelets




Figure 4. Original and compressed signals using db2




Figure 5. Original and compressed signals using db4




Figure 6. Original and compressed signals using db7

The obtained results by using Coiflet wavelets are given on Figs.7 and 8.




Figure 7. Original and compressed signals using coif3




Figure 8. Original and compressed signals using *coif4* The results by using Symlet wavelets are given on Figs.9-11




Figure 9. Original and compressed signals using *sym4*




Figure 10. Original and compressed signals using sym5




Figure 11. Original and compressed signals using sym7 The obtained results by using discrete Meyer wavelets are given on Figs.12, 13 and 14

The obtained results by using discrete Meyer wavelets are given on Figs.12, 13 and 14.




Figure 12. Decomposition of the signal (dmey)




Figure 13. Best Tree (dmey)




Figure 14. Original and compressed signals using dmey

The obtained values of the retained energy of the signal using different wavelets are compared in Table 1.

Wavelets	Global threshold	Number of zeros %	Retained energy %
Haar	1.002	74.75	90.61
db2	1.101	74.75	96.64
db4	0.9614	74.74	96.95
db7	0.7381	74.77	98.11
Coif3	0.7835	74.75	97.80
Coif4	0.6691	74.76	98.22
Sym4	0.9257	74.74	97.08
Sym5	0.847	74.71	97.65
sym7	0.7186	74.77	98.15
dmey	0.5301	74.73	99.61

Table 1. Retained energy

4. Conclusion

From the analysis of the so considered signal with different types of wavelet functions can be seen that the compression with

the same parameters gives different results. When setting a threshold by which to achieve the same number of zeros of the wavelet coefficients (74.7%), it is preferable to use a discrete Meyer function. The saved energy using discrete Meyer function is 99.61%. The most accurate results are obtained using a Haar function. In Figure 3 are visible relatively large differences between the original and the compressed signal.

The advantage of the discrete Meyer wavelet over the others can be seen in figure 14, which shows excellent overlaying of the compressed signal on the original.

References

- [1] Bultheel, A. (2006). *Wavelets with Applications in Signal and Image Processing*, p. 181.
- [2] Chui, C.K., series editor. (1998). *Wavelet analysis and its applications. Wavelet Analysis and Its Applications*. Academic Press: San Diego, USA. USA, 92101-4495 [DOI: [10.1016/S1874-608X\(13\)70010-4](https://doi.org/10.1016/S1874-608X(13)70010-4)].
- [3] Sifuzzaman, M., Islam, M.R. & Ali, M.Z. (2009) Application of wavelet transform and its advantages compared to Fourier transform. *Journal of Physical Sciences*, 13, 121–134 ISSN: 0972-8791.
- [4] Sheng, Y. (2000). *Wavelet Transform. The Transforms and Applications Handbook*, 2nd edn (edited by A. D. Poularikas). CRC Press: Boca Raton, ISBN 0-8493-8595-4.
- [5] Todorova, M. & Ivanova, R. (2015). Research on Wavelet Function Applications in System Identification, *Computer Science and Technologies*, Vol. 2. Bulgaria, pp. 44–55, ISSN 1312-3335.
- [6] Walnut, D.F. (2004). *An Introduction to Wavelet Analysis*, Springer, ISBN: 9781461265672.
- [7] *Wavelet Toolbox User Guide*. (2016). MathWorks, Incorp.: Natick, USA, p. 160.